


LED MR11 GU10 2W 45° with lens



Power **2 W**
Luminous flux** **230 lm (360°)**
Colour of light **WW**
Socket **GU10**

Voltage **230 V**
Colour temperature **3000 K**
Beam angle **45 °**



 Declaration of Conformity



 Photometric file

Technical data:

| | |
|------------------------------|---------------|
| Code | WOJ+14158 |
| Power | 2 W |
| Nominal current | 20 mA |
| Voltage | 230 V |
| Energy efficiency class | F |
| Energy consumption | 2 kWh/1000h |
| Frequency | 50HZ Hz |
| Power factor | 0.4 |
| Useful luminous flux* | 165 lm (90°) |
| Luminous flux** | 230 lm (360°) |
| Lamp efficacy | 115 lm/W |
| Luminous intensity | 220 cd |
| Colour temperature | 3000 K |
| Colour of light | WW |
| Beam angle | 45 ° |
| RA | 80 |
| Uniformity of color SDCM max | 5 |
| Working temperature range | -20/+40 ° |
| Lifespan | 17000 h |
| Socket | GU10 |
| Dimension (AxBxC) | 35x48 mm |
| Weight | 0.027 kg |
| For use | Inside |
| Application | INT |
| Made in | PRC |

